

DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
BILL NO.2	H1			
CARPENTRY AND JOINERY	H1			
NOTES:	H2			
<p>Attention is directed to the relevant sections of the Model Preambles to Trades which forms a part of this Schedule of Quantities and must be read in conjunction herewith.</p> <p>1. Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete.</p> <p>2. Particle board shall comply with the following specifications: a) SABS 1300 Particle board: exterior and flooring type b) SABS 1301 Particle board: interior type 3. Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of screw and bolt holes.</p> <p>4. Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. All particle or other pressed wood boards with a laminate finish must have a brown backing or balancing veneer on unexposed faces. 5. The following cupboard fittings have been measured as complete units. The descriptions therefore, of such units shall be deemed to include all components, assembling, housing, notching, gluing, blocking, planting on and screwing with countersunk screws, edge strips², decorative plastic finishes, glass, ironmongery, metalwork, paint finishes, etc as specified and prices must include herefore.</p>				

6. All cupboard units are to be sealed around with an approved silicone sealant at the joints between walls, floors and other finishes. 7. Worktops where specified, are to be of 32mm particle board with Delta90° postformed front edges with 'Formica' HPL or other equal and approved on one side and balancing veneer on underside. 8. Doors, drawers fronts and drawer carcasses are to be 16mm 'Melawood' or other approved faced both sides with 3mm thick rigid 'Raukantex' or other equal approved PVC edge strips all round. 9. Drawer carcasses are to have 6mm white faced tempered hardboard bottoms. 10. Handles are to be 'Union' AL5102-25AS- cupboard door knobs 25mm diameter or other equal approved. 11. Cupboard door locks where specified are to be cupboard cylinder locks. Where lockable cupboard doors are in two leaves, the one leaf is to have a lock as specified and the other leaf is to be fitted with two chromium plated necked cupboard barrel bolts and keeps. 12. Drawers are to be fitted with suitable proprietary drawer slides. 13. Sides, divisions,shelves and bottoms, etc are to be of 18mm Melawood or other equal approved faced both sides with 3mm thick rigid 'Rakantex' or other equal approved PVC edge strips all round. 14. Plinths are to be 100mm high with either solid softwood bearers or proprietary supporting system with adjustable feet. Plinth- fronts are to be of 18mm particle board with 'Decon' CPL or other equal and approved painted with and including two coats polyurethane enamel. 15. Prices must include for all necessary filler pieces, framing, etc.

PRINTING AREA COUNTER

H3 0

Work top 650mm wide fixed onto worktop floor unit (Refer to Drawing No. 3500 Joinery Details- JF05)

m 2

Open wall shelve size 990 x 400mm wide x 800mm high overall with top, sides, bottom, divisions and back (Refer to Drawing No. 3500 Joinery Details- JF05)	No	3		
Wall unit type W400 size 745mm x 400 x 800mm high overall (Refer to Drawing No. 3500 Joinery Details- JF05)	No	1		
Main Boardroom	H3	0		
Floor Units	H4	0		
Floor unit size 6900 x 800 x 900mm high overall Melawood "Iceberg White" Supagloss panel drawer with top, sides, bottom, divisions, shelf, back and hinged doors.	No	1		
Meeting Spectator Booth	H4	0		
22mm Melawood Supagloss Panel Floor Closed Cabinet size 7100 x 800 x 430mm high including 100mm cantilevered projection fixed and plugged to wall complete (Refer to Drawing No. 3500 Joinery Details- JF08)	No	1		
80mm foam linen fabric cushions (5 in sections 1200m x 700) on and including 250 x 700 x 38mm thick running back rest boards at 50mm centres including 114 x 38mm SA Pine horizontal timber supports plugged and fixed to wall (Refer to Drawing No. 3500 Joinery Details- JF08)	m	3.8		

16mm Supa glosswood sidewall panel unit 4000mm high including 200mm projection fixed and plugged to wall complete (Refer to Drawing No. 3500 Joinery Details- JF08)	m ²	2		
32mm Supa glosswood ceiling panel unit 200mm wide fixed and plugged to wall complete (Refer to Drawing No. 3500 Joinery Details- JF08)	m	7		
New Marketing Room-01	H3			
Drawers : Units 400 x 600 x 720mm tdrawers complete (JF02) (Refer to drawing no. P127-23 Reference Layout)	No	4		
Work countertop 32mm Formica Lifeseasl x 600mm deep, running 7.4m long (JF02) (Refer to drawing no. P127-23 Reference Layout)	No	3		
Coffee Bar & Fridge Area	H3	0		
Melawood or similar approved	H4	0		
16mm Melamine including woodgrain finish to architect's specifications	H2	0		
Built-in broom cupboard size 550 x 450 x 2600mm high overall cupboard with sides, bottom, back with one door and shelf (Refer to drawing no. 3500 Joinery Details- JF06)	No	1		

Wall unit type W450 size 1993 x 450 x 480mm high overall cupboard with sides, bottom, back and three doors (Refer to drawing no. 3500 Joinery Details- JF06)

No

1

Floor unit size 800 x 450 x 1000mm high overall Melawood "Iceberg White" Supagloss panel with three drawers (Refer to drawing no. 3500 Joinery Details- JF06).

No

1

Worktop

H3

0

32 mm Water resistant particle board with 1,2 mm decorative "Formica" plastic laminate one side and 0,8 mm brown liner plastic laminate other side.

No

1

Worktop size 2800mm x 600mm wide fixed to wall including No.2 400 x 1800mm high drawers.

m

2.8

Worktop size 4259mm x 662mm wide fixed to wall including No.2 400 x 1800mm high drawers.

m

4.26

Reception

H3

0

2400 x 900 x 1100 high overall reception counter with top, sides, bottom, drawers and hinge doors complete (Refer to Drawing No. 3500 Joinery Details- JF01).

No

1

Reception Background

22 x 44mm Pine PAR slats incl. varnish fixed and plugged to wall in 3m lengths at 10mm spacing in grey including painted background to wall in black colour(Refer to drawing no. 3500 Joinery Details- JF01).

m

60

Boardroom Display

22 x 44mm Pine PAR slats incl. varnish fixed and plugged to wall in 3m lengths at 10mm spacing in grey including painted background to wall in black colour (Refer to drawing no. 3500 Joinery Details- JF09). - Should be SA Pine not Meranti/

m

55

16mm Melamine including woodgrain finish to architect's specifications

H2

3100 x 350 x 400mm High Melawood gloss wall floating panel cabinet with center open shelf including two sides top hung drawers in "Folkstone" grey finish (Refer to drawing no. 3500 Joinery Details- JF09).

m²

1.24

850 x 450 x 2600mm High Melawood gloss panel storage cabinet with center divided open shelf including three bottom drawers in "Folkstone" grey finish. (Refer to drawing no. 3500 Joinery Details- JF09).

m²

2.21

Boardroom Service

16mm Melamine including woodgrain finish to architect's specifications

L-shaped Melawood gloss panel storage cabinet with center divided open shelf including three bottom drawers in "Folkstone" grey finish. (Refer to drawing no. 3500 Joinery Details- JF07).

No

1

Spacer Divider Shelve

3800 x 400 deep x 2600mm High Multi-Component shelve made of 30 x 30 x 2mm square hollow steel sections including 12mm plywood shelf dividers complete. (Refer to drawing no. 3500 Joinery Details- JF04).

No

1

Sub-Total (N\$) =	-
VAT @ 15% =	-
Total=	-